

MCGINN & GIBB, PLLC
A PROFESSIONAL LIMITED LIABILITY COMPANY
PATENTS, TRADEMARKS, COPYRIGHTS, AND INTELLECTUAL PROPERTY LAW
8321 OLD COURTHOUSE ROAD, SUITE 200
VIENNA, VIRGINIA 22182-3817
TELEPHONE (703) 761-4100
FACSIMILE (703) 761-2375

**APPLICATION
FOR
UNITED STATES
LETTERS PATENT**

APPLICANT: Satoshi SHIMURA et al.

FOR: CONTENT SUPPLY APPARATUS AND MACHINE
READABLE RECORDING MEDIA FOR RECORDING
A PROGRAM

DOCKET NO.: PNDF-00163

DOCKET # 4582260

CONTENT SUPPLY APPARATUS AND MACHINE READABLE RECORDING MEDIA FOR
RECORDING A PROGRAM

5

FIELD OF THE INVENTION

The present invention concerns a content supply apparatus, interposed between a portable terminal and a content server, for obtaining content demanded by the portable terminal to obtain and sending to the portable terminal.

10

BACKGROUND OF THE INVENTION

In general, a portable terminal provided with radio communication function, obtains HTML file, image file, sound file or other contents on a content server according to the following procedures.

15

First, the portable terminal transmits a content acquisition demand specifying the URI (Universal Resource Identifier) to the gateway server by radio communication. The gateway server obtains the specified content from the content server specified in the URI. Here, the gateway server and the content server are network connected by Internet or the like. The gateway server that has obtained the content, transmits the content to the portable terminal. Upon the reception of content, the portable terminal display this content using an information display on the portable terminal. The content sometimes includes a plurality of URI format link information to the other contents, and if the

- 2 -

user operation selects on of them, the selected content is obtained again.

Here, both the communication from the portable terminal to the gateway server and the communication from the gateway server to the content server are low in communication amount; therefore, most of time required for content acquisition is occupied by the transmission time of content from the content server to the gateway server and the transmission time of content by radio communication from the gateway server to the terminal.

On the other hand, as for a general client terminal which is not a portable terminal, as a technology for reducing the time from the content acquisition demand emitted by the user to the actual display of that content on the client terminal, there is a technology to prefetch previously contents that can be asked by the client to obtain. This technology is classified roughly into a first method for storing in the portable terminal and a second method for storing in the gateway server (or proxy server).

As an example of the prefetch technology of the first method, the Japan Patent Publication HEI 6-110926 proposes a technology for investigating link information in the content displayed actually on the portable terminal, and prefetching by the portable terminal the content on the content server contained in the link information before the link is specified by the user, and holding in the portable terminal. When a next content is demanded to be obtained by the user operation, a rapid response is realized by displaying the demanded content, if it exists in a group of prefetched contents in the terminal. On the other hand,

- 3 -

the Japan Patent Publication HEI 8-87526 proposes a technology for reducing the necessary memory on the terminal side compared to prefetch the whole contents, by giving priority order based on the user operation history or the like on the client terminal side or the server side, when the terminal prefetch the content, and prefetching only those of high priority and holding on the terminal side.

As an example of the prefetch technology of the second method, the Japan Patent Publication HEI 11-149405 proposes a technology for prefetching the content referred to by the content asked by the terminal to obtain and caching in the server side. Moreover, a technique to reduce the content to prefetch by giving priority to each cached content according to its request frequency, and prefetching based on the priority of the content asked by the user to obtain or the importance of that user. For instance, if the priority of the content asked by the user to obtain is "high", the whole contents referred to by this content are prefetched or reloaded, and if the priority is "middle", only already cached content among contents referred to by this content is reloaded, and if the priority is "low", only content already cached and having "high" priority among contents referred to by this content is reloaded. Here, "reload" means the processing of replacing already cached content with the newest original content on the content server, and "prefetch" means the processing of obtaining non cached content from the content server and caching the same.

1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100 2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200 2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300 2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400 2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 	
--	--

- 4 -

SUMMARY OF THE INVENTION

An inconvenience of the prior art consists in that, for a portable terminal, it takes long time from the content acquisition operation by the user to the actual display of the content, compared to a large personal computer, such as ordinary lap-top terminal, or the like. This is because the radio communication speed is generally slower than the wire communication speed, and the transfer itself of the contents takes much time. Moreover, in case of portable terminal, the screen size, memory capacity or other factors limit the information amount that can be displayed at one time, and the gate server can not send the content demanded by the portable terminal to obtain as it is, but it should send by dividing it into a unit of information amount that can be displayed, and this supplementary division processing also take as much time.

Another inconvenience of the prior art consists in that there is no content prefetching technology effective for reducing the time from the content acquisition operation by the portable terminal user to the actual display of the content. This is because, among content prefetching technologies mentioned for the prior art, the first method to hold the prefetched content on the terminal is limited in the memory capacity if applied to the portable terminal, and as little capacity can be used to hold the content, it can hardly be applied. As for the second method to store the prefetched content at the gateway server, if applied as proposed conventionally, useless prefetched content increases, and therefore, the traffic load increases. This is because, as

- 5 -

the conventional prefetching technology is composed to prefetch by content unit asked by the user to obtain, contents referred to by the divided portion demanded to obtain but useless content prefetching not transmitted yet to the portable terminal are also prefetched.

Therefore, it is an object of the present invention is to reduce the time from the content acquisition operation by the portable terminal user to the actual transmission to the portable terminal and display of the content.

Another object of the present invention is to avoid useless content prefetching.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a composition diagram of a first embodiment of the content supply apparatus to which the present invention is applied;

Fig. 2 is a flow chart showing a part of processing example by a gateway server in the first embodiment;

Fig. 3 is a flow chart showing a part of processing example by a gateway server in the first embodiment;

Fig. 4 is a flow chart showing a part of processing example by a gateway server in the first embodiment;

Fig. 5 is a flow chart showing a part of processing example by a gateway server in the first embodiment;

Fig. 6 shows the state of the transmission memory section and the prefetching memory section when one divided content of

- 6 -

the content demanded to obtain from the portable terminal and the prefetching by this divided content unit is terminated;

Fig. 7 is a composition diagram of a first embodiment of the content supply apparatus to which the present invention is applied;

Fig. 8 is a flow chart showing a part of processing example by a gateway server in the second embodiment;

Fig. 9 is a flow chart showing a part of processing example by a gateway server in the second embodiment;

10 Fig. 10 is a flow chart showing a part of processing example
by a gateway server in the second embodiment;

Fig. 11 is a flow chart showing a processing example by a prefetching list creation section of the portable terminal in the second embodiment;

15 Fig. 12 is a flow chart showing a part of processing example
by a gateway server in another embodiment of the present
invention;

Fig. 13 is a flow chart showing a part of processing example
by a gateway server in another embodiment of the present
20 invention;

Fig. 14 is a flow chart showing a part of processing example by a gateway server in another embodiment of the present invention; and

Fig. 15 is a composition diagram of the content supply
25 apparatus of the another embodiment of the present invention.

DESCRIPTION OF THE PREFERRED EMOBIDIMENTS

The present invention concerns a content supply apparatus such as gateway server or proxy server, interposed between a portable terminal and a content server, for obtaining content demanded by the portable terminal to obtain and sending to the portable terminal, comprising a content hold means for holding the content obtained from the content server; a divided content supply means for obtaining the content demanded by the portable terminal from said content hold means if the same exists in said means, and from the content server if the same does not exist, and transmitting to the portable terminal by divided content unit of every information amount that can be displayed by the portable terminal; and a prefetcher means for prefetching the other contents referred from said divided content, by transmitted divided content unit, from the content server, and storing in said content hold means. Thus, by divided content unit which is transmitted to the portable terminal, carrying out other content prefetching which is refer from divided content, the present invention avoids useless content prefetching and reduces the time to the actual transmission to the portable terminal display of the content.

Moreover, the present invention comprises a link information format conversion section for mutual conversion of URI format link information and ID number format link information; and said divided content supply means transmits link information in the divided content to be transmitted to the portable terminal by substituting entirely with ID number format by said link

[illegible]

- 8 -

information format conversion section, obtains the corresponding URI by said link information format conversion section, when the portable terminal demands to obtain content in ID number format. This allows to reduce the information amount to be transferred compared to the exchange of URI format link information between the portable terminal and the content supply apparatus, reduce the communication time and economize the communication cost.

Further, in the present invention, if the content to prefetch is either the content under pay content access restriction, or the content that could not be prefetched due to network trouble or other reason, said prefetcher means stores that message in said content hold means matching off against the concerned content URI, and said content division means, upon the reception of said message during the search of the content demanded by the portable terminal to obtain from said content hold means, transmits the message to the portable terminal. This allows the portable terminal user to know beforehand the content in trouble, pay content, or access limited content, and to dispense with useless access and useless payment of communication fee.

Now, examples of embodiment of the present invention will be described in detail with reference to the accompany drawings.

[First embodiment]

Referring to Fig. 1, a first embodiment of the content
25 supply apparatus applying the present invention comprises a
gateway server 1 composing the content supply apparatus, a
portable terminal 2 receiving content supply, and a group of

- 9 -

content servers 3 including a plurality of content servers 3-1 to 3-n accumulating contents to be supplied, the gateway server 1 and the group of content servers 3 are connected by wire or radio through a network 4 such as Internet of the like, and the portable terminal 2 and gateway server 1 are connected through a radio line 5.

Each of content servers 3-1 to 3-n accumulates a number of contents. In this embodiment, respective content is HTML file. Each content is identified uniquely by the URI allocated to the same. Besides, link information for referring to the other contents is embedded in respective content. The link information specifies the URI of the content to refer.

The portable terminal 2 comprises a processing section 21 running by a program, an input apparatus 22 connected to the same, a display 23 and a radio communication section 24. The input apparatus 22 is composed of numeric keys or a keyboard, while the display 23 is composed of a LCD or the like. The radio communication section 24 via the radio line 5, communicates with the gateway server 1 and comprises modem, amplifier or antenna. The processing section 21 controls whole the portable terminal 2, and comprises a CPU, a RAM for memorizing the program, or the like. The processing section 21 comprises a browser 211 and a memory 212 for content memorization, as parts concerning the content supply. The portable terminal 2 may be a terminal dedicated to the content display, or a terminal having the other functions as portable telephone function.

- 10 -

The gateway server 1 comprises a processing section 10 running by a program, a content hold section 11 connected to the same, a radio communication section 12 and a communication section 13. The processing section 10 comprises a CPU, a RAM
5 for memorizing the program, or the like, and includes, as functional means realized by them, divided content supply section 14, search section 15, prefetching list creation section 16, prefetching section 17 and content collection section 18.

The radio communication section 12 communicates with the portable terminal 2 through the radio line 5 and comprises modem, amplifier or antenna. The communication section 13 communicates with an arbitrary content server of the group of content servers 3 through the network 4 and comprises modem, amplifier or antenna.

The content hold section 11 accumulates temporarily contents collected from the group of content servers 3, and is composed of a magnetic disk device, for example. The content hold section 11 has a transmission memory section 111, a prefetching memory section 112 and a cache memory section 113. The transmission memory section 111 holds only contents actually supplied to the portable terminal 2. The prefetching memory section 112 holds only the prefetched content, among the other contents referred to from the content held in the transmission memory section 111 and a cache memory section 113 holds the content that has been obtained by the portable terminal 2 in the past. In short of area to store new content, this cache memory section 113 secures the area by discarding contents that have not been referred to for the longest time, by an exchange algorithm of LRU format.

[illegible]

- 11 -

The divided content supply section 14 divides the content that the portable terminal demanded to obtain into a unit of information amount that can be displayed by the portable terminal or processes otherwise, and supplies the portable terminal with content by the divided unit. Individual unit obtained by the content division shall be called "divided content" in this Specification.

The prefetching list creation section 16 input the divided content that the divided content supply section 14 has actually supplied to the portable terminal 2, detects link information to the other contents embedded therein, and creates a prefetching list enumerating URIs of the other contents to prefetch. The prefetching section 17 prefetches contents based on the URI described in this prefetching list. The prefetched content is stored in the prefetch memory section 112 of the content hold section 11.

The search section 15 searches for the content having the desired URI in the content hold section 11 and is used by the divided content supply section 14 and the prefetching section 17.

20 The content collection section 18 collects the content having the desired URI from the group of content servers 3 through the communication section 13 and the network 4 and is used by the divided content supply section 14 and the prefetching section 17.

Fig. 2 to Fig. 5 are flow charts showing processing examples
25 of the gateway server 1 and now, the operation of this embodiment
will be described referring to Fig. 1 to Fig. 5. The system

1990-1991		1991-1992		1992-1993		1993-1994		1994-1995		1995-1996		1996-1997		1997-1998		1998-1999		1999-2000		2000-2001		2001-2002		2002-2003		2003-2004		2004-2005		2005-2006		2006-2007		2007-2008		2008-2009		2009-2010		2010-2011		2011-2012		2012-2013		2013-2014		2014-2015		2015-2016		2016-2017		2017-2018		2018-2019		2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025		2025-2026		2026-2027		2027-2028		2028-2029		2029-2030		2030-2031		2031-2032		2032-2033		2033-2034		2034-2035		2035-2036		2036-2037		2037-2038		2038-2039		2039-2040		2040-2041		2041-2042		2042-2043		2043-2044		2044-2045		2045-2046		2046-2047		2047-2048		2048-2049		2049-2050		2050-2051		2051-2052		2052-2053		2053-2054		2054-2055		2055-2056		2056-2057		2057-2058		2058-2059		2059-2060		2060-2061		2061-2062		2062-2063		2063-2064		2064-2065		2065-2066		2066-2067		2067-2068		2068-2069		2069-2070		2070-2071		2071-2072		2072-2073		2073-2074		2074-2075		2075-2076		2076-2077		2077-2078		2078-2079		2079-2080		2080-2081		2081-2082		2082-2083		2083-2084		2084-2085		2085-2086		2086-2087		2087-2088		2088-2089		2089-2090		2090-2091		2091-2092		2092-2093		2093-2094		2094-2095		2095-2096		2096-2097		2097-2098		2098-2099		2099-2100		2100-2101		2101-2102		2102-2103		2103-2104		2104-2105		2105-2106		2106-2107		2107-2108		2108-2109		2109-2110		2110-2111		2111-2112		2112-2113		2113-2114		2114-2115		2115-2116		2116-2117		2117-2118		2118-2119		2119-2120		2120-2121		2121-2122		2122-2123		2123-2124		2124-2125		2125-2126		2126-2127		2127-2128		2128-2129		2129-2130		2130-2131		2131-2132		2132-2133		2133-2134		2134-2135		2135-2136		2136-2137		2137-2138		2138-2139		2139-2140		2140-2141		2141-2142		2142-2143		2143-2144		2144-2145		2145-2146		2146-2147		2147-2148		2148-2149		2149-2150		2150-2151		2151-2152		2152-2153		2153-2154		2154-2155		2155-2156		2156-2157		2157-2158		2158-2159		2159-2160		2160-2161		2161-2162		2162-2163		2163-2164		2164-2165		2165-2166		2166-2167		2167-2168		2168-2169		2169-2170		2170-2171		2171-2172		2172-2173		2173-2174		2174-2175		2175-2176		2176-2177		2177-2178		2178-2179		2179-2180		2180-2181		2181-2182		2182-2183		2183-2184		2184-2185		2185-2186		2186-2187		2187-2188		2188-2189		2189-2190		2190-2191		2191-2192		2192-2193		2193-2194		2194-2195		2195-2196		2196-2197		2197-2198		2198-2199		2199-2200		2200-2201		2201-2202		2202-2203		2203-2204		2204-2205		2205-2206		2206-2207		2207-2208		2208-2209		2209-2210		2210-2211		2211-2212		2212-2213		2213-2214		2214-2215		2215-2216		2216-2217	
-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--

- 12 -

operation shall be described from the initial state where the hold section 11 of the gateway server 1 holds no content.

When the browser 211 is started through the operation of the input apparatus 22 by the portable terminal 2 user, the browser 211 displays the browser screen on the display 23 and waits for the user operation. When the user specifies the connection destination URI and specifies the execution, the browser 211 transmits a new content acquisition demand including an terminal ID identifying uniquely the specified URI and the portable terminal 2 to the gateway server 1 through the radio communication section 24 via the radio line 5.

Upon the reception of new content acquisition demand from the portable terminal 2 (S1), the radio communication section 12 of the gateway server 1, transmits the same to the divided content supply section 14. The divided content supply section 14 judges the new content acquisition demand, and searches if the content of that URI is stored in the content hold section 11 using the search section 15 (S2). In the initial state, as the content does not exist, the divided content supply section 14 accesses the content defined uniquely in the concerned URI of the content server specified by that URI, using the content collection section 18 (S8). Beforehand, if the content is stored in the transmission memory section 111, it is transferred to the cache memory section 113 (S6) and the prefetching memory 112 is cleared (S7).

If the desired content could not be obtained due to content server down or by other reasons (NO in S9), the divided content

[illegible]

- 13 -

supply section 14 transmits an error message announcing it to the portable terminal 2 through the radio communication section 12 (S10) and terminates the processing. On the portable terminal 2, the browser 211 displays the error message on the display 23.

5 If the desired content is obtained (YES in S9), the divided
content supply section 14 searches for a table (not shown)
registering the pair of the terminal ID and the terminal
environment information (amount of information that can be
displayed at one time, number of colors that can be displayed, or
10 the like) with the terminal ID demanding the content acquisition,
obtains the environment information of the portable terminal 2
demanding the content acquisition, and processes the content
based on the same (S11). For example, the number of display
colors of that content is reduced equal or inferior to the number
15 of colors that can be displayed by the portable terminal 2, and
the content is divided into unit of information amount that can
be displayed by the portable terminal 2. Then, respective
divided content is stored in the transmission memory section 111
of the content hold section 11 (S12) and the divided content
20 corresponding to the leading head of the content and the terminal
ID of the portable terminal 2 demanding the divided content are
delivered to the radio communication section 12, and the radio
communication section 12 sends the divided content to the
portable terminal 2 through the radio line 5 (S21 of Fig. 3).

25 In the portable terminal 2, a browser 211 memorizes temporarily the divided content received by the radio communication section 24 in a memory 212, and then displays on

[illegible]

- 14 -

the browser screen of the display 23. On the other hand, when the divided content supply section 14 delivers the divided content and the terminal ID to the radio communication section 12, the prefetching list creation section 16 of the gateway server 1
5 side inputs the same, and detects all link information to the other contents in that divided content (S22). For example, in case of HTML file, the description <A href="URI" is detected. If no link information is detected, (NO in S23), the processing is terminated, and if one or more link information is/are detected,
10 a prefetching list enumerating URIs in respective link information is established (S24), and delivered to the prefetching section 17 with the terminal ID.

The prefetching section 17 proceeds as follows for each URI described in the prefetching list. First, it searches if the content of that URI is stored in the content hold section 11 using the search section 15 (S31). In the initial state, as the content does not exist, the prefetching section 17 accesses the content specified by the concerned URI of the content server specified by that URI, using the content collection section 18 (S34). If the access has failed due to some trouble (content server failure, URL description error, network trouble) (S35), it is retried several times, and if the access still remains unsuccessful (S36), the message reporting the same is stored in the prefetching memory 112 matching off with the URI (S37). If the access is successful, (S35, S36), when the content is pay content or access limited membership content (YES in S38), only the message announcing the pay content of the access limitation

is stored in the prefetching memory 112 matching off with the URI (S37). On the other hand, if it is an access free content free of charge (NO in S38), the content is obtained actually (S39). Then, the environment information corresponding to the terminal ID from a now shown table, the content is processed based on the same similarly as processed by the divided content supply section 14 (S40), and respective divided content is stored in the prefetching memory section 112 (S41). The aforementioned prefetching processing is repeated until there will be no more non processed link information in the prefetching list (S42).

Fig. 6 shows the state of the transmission memory section 111 and the prefetching memory section 112 when one divided content is sent to the portable terminal 2 about the content demanded by the portable terminal 2 to obtain, and the prefetching processing by this divided content is terminated. As shown in this drawing, the prefetching memory section 112 prefetches only the content (or possibly message) referred from the transmitted divided content, and contents referred from the divided content not transmitted yet to the portable terminal 2 are not prefetched at all.

Now, the operation of the time when the user of the portable terminal 2 on which the divided content is displayed demands to display the following divided content.

Suppose the divided content actually displayed by the user
25 operation of the input apparatus 22 is the page 1, for example,
when the user demands to display the following divided content,
the browser 211 of the portable terminal 2 transmits the

- 16 -

acquisition demand of the second page of the divided content to the gateway server 1 through the radio communication section 24. This divided content acquisition demand also specify the content URI and the terminal ID are specified.

5 Upon the reception of divided content acquisition demand from the portable terminal 2 through the radio communication section 12 (S1), the divided content supply section 14 of the gateway server 1 judges as acquisition demand of the other page than the content being transmitted, and searches if the content
10 of that URI is stored in the content hold section 11 using the search section 15 (S2). As all divided contents of the content being transmitted and memorized in the transmission memory section 111, those stored in the transmission section 111 are detected (YES in S3). The divided content supply section 14
15 fetches the divided content corresponding to the demanded page, from the transmission section 111, delivers the same with the terminal ID of the demanding portable terminal 2 to the radio communication section 12, and the radio communication section 12 transmits the divided content to the portable terminal 2 through
20 the radio line 5 (S21 of Fig. 3).

On the portable terminal 2, the browser 211 memorizes temporarily the received divided content in a memory 212, and then displays on the browser screen of the display 23. On the other hand, the prefetching list creation section 16 of the gateway server 1 side inputs the divided content and the terminal ID delivered from the divided content supply section 14 to the radio communication section 12 similarly as before, and detects

- 17 -

all link information to the other contents in that divided content (S22), and if one or more link information exist(s), a prefetching list enumerating URIs in respective link information is established (S24), and delivered to the prefetching section 17 with the terminal ID. The prefetching section 17 proceeds the prefetching similarly as before, for each URI described in the prefetching list (S31 to S42). At this time, if content to prefetch is stored in the cache memory section 113 (YES in S33), it is obtained from the cache memory section 113 and stored in the prefetching memory section 112 (S41). If it is the same content as the one stored in the prefetching memory section 112, (YES in S32), the perfecting is not required.

Now, the operation of the time when the user of the portable terminal 2 on which the divided content is displayed demands to
15 obtain the content referred to from this content.

When the content referred to from the divided content actually displayed, is required by the user, the browser 211 of the portable terminal 2 transmits the acquisition demand of new content including the specified URI and the terminal ID of the portable terminal 2 to the gateway server 1 through the radio communication section 24 via the radio line 5.

Upon the reception of new content acquisition demand from the portable terminal 2 through the radio communication section 12 (S1), the divided content supply section 14 of the gateway server 1 searches if the content of that URI is stored in the content hold section 11 using the search section 15 (S2). As shown in Fig. 6, all contents referred to from the divided

[illegible]

- 18 -

content actually displayed are prefetched and memorized in the prefetching memory section 112. Therefore, they are judged to exist in the prefetching memory section 112 (YES in S4). Then, the divided content supply section 14 verifies if content or only
5 message is stored in the prefetching memory section 112 (S51 in Fig. 5).

If content is stored, the content in the transmission section 111 is transferred to the cache memory section 113 (S52), said stored content is transferred from the prefetching memory section 112 to the transmission section 111 (S53), the transmission section 111 is cleared, and it proceeds to the step S21 and transmits the leading head divided content, for example, to the terminal. Then, it proceeds to the prefetching processing.

On the other hand, if a message is stored, the message is transmitted to the portable terminal 2 through the radio communication section 12 (S55). Upon the reception of this message, the browser 211 of the portable terminal 2 stores temporarily in the memory 212, and then displays on the browser screen. This allows the user to know if the content they desired to obtain is pay content, access limited content or inaccessible content due to network trouble or the like. In this case, the user may resign to obtain the content, or demand the access knowing the situation. In the user input a message to resign the access by the operation of the input apparatus 22, the browser 211 transmits the same to the gateway server 1 through the radio communication section 24, the divided content supply section 14 identifies the access abandon (NO in S56) and transmits again the

- 19 -

divided content that has been sent immediately before sending the message to the portable terminal 2, displaying again the last divided content data by the display 23 of the portable terminal 2 (S57).

5 On the other hand, if the user designated to execute the access by the operation of the input apparatus 22, the browser 211 transmits the same to the gateway server 1, the divided content supply section 14 identifies the access execution abandon (YES in S56) and shifts the processing to the step S6 of Fig. 2.

10 In other words, the content in the transmission section 111 is transferred to the cache memory section 113 (S6), the prefetching memory section 112 is cleared (S7), and the acquisition of the demanded content is tried again (S8). If the content is obtained successfully, the processing of shift to the step S11 is executed,
15 and content processing, transmission of divided content to the terminal, and prefetching of the transmitted divided content are performed. If unsuccessful, an error message of the same is transmitted to the portable terminal 2 to terminate the processing. (S10)

20 The operation of the time when the user of the portable terminal 2 on which the divided content is displayed demands to obtain a content other than the content referred to from this divided content is substantially similar, however, as the demanded content is absent in the prefetching memory section 112, 25 it is obtained from the cache memory section 113 if it exists therein, and if it does not exist, it is obtained from the concerned content server. If the content of the cache memory

1990-1991		1991-1992		1992-1993		1993-1994		1994-1995		1995-1996		1996-1997		1997-1998		1998-1999		1999-2000		2000-2001		2001-2002		2002-2003		2003-2004		2004-2005		2005-2006		2006-2007		2007-2008		2008-2009		2009-2010		2010-2011		2011-2012		2012-2013		2013-2014		2014-2015		2015-2016		2016-2017		2017-2018		2018-2019		2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025		2025-2026		2026-2027		2027-2028		2028-2029		2029-2030		2030-2031		2031-2032		2032-2033		2033-2034		2034-2035		2035-2036		2036-2037		2037-2038		2038-2039		2039-2040		2040-2041		2041-2042		2042-2043		2043-2044		2044-2045		2045-2046		2046-2047		2047-2048		2048-2049		2049-2050		2050-2051		2051-2052		2052-2053		2053-2054		2054-2055		2055-2056		2056-2057		2057-2058		2058-2059		2059-2060		2060-2061		2061-2062		2062-2063		2063-2064		2064-2065		2065-2066		2066-2067		2067-2068		2068-2069		2069-2070		2070-2071		2071-2072		2072-2073		2073-2074		2074-2075		2075-2076		2076-2077		2077-2078		2078-2079		2079-2080		2080-2081		2081-2082		2082-2083		2083-2084		2084-2085		2085-2086		2086-2087		2087-2088		2088-2089		2089-2090		2090-2091		2091-2092		2092-2093		2093-2094		2094-2095		2095-2096		2096-2097		2097-2098		2098-2099		2099-2100		2100-2101		2101-2102		2102-2103		2103-2104		2104-2105		2105-2106		2106-2107		2107-2108		2108-2109		2109-2110		2110-2111		2111-2112		2112-2113		2113-2114		2114-2115		2115-2116		2116-2117		2117-2118		2118-2119		2119-2120		2120-2121		2121-2122		2122-2123		2123-2124		2124-2125		2125-2126		2126-2127		2127-2128		2128-2129		2129-2130		2130-2131		2131-2132		2132-2133		2133-2134		2134-2135		2135-2136		2136-2137		2137-2138		2138-2139		2139-2140		2140-2141		2141-2142		2142-2143		2143-2144		2144-2145		2145-2146		2146-2147		2147-2148		2148-2149		2149-2150		2150-2151		2151-2152		2152-2153		2153-2154		2154-2155		2155-2156		2156-2157		2157-2158		2158-2159		2159-2160		2160-2161		2161-2162		2162-2163		2163-2164		2164-2165		2165-2166		2166-2167		2167-2168		2168-2169		2169-2170		2170-2171		2171-2172		2172-2173		2173-2174		2174-2175		2175-2176		2176-2177		2177-2178		2178-2179		2179-2180		2180-2181		2181-2182		2182-2183		2183-2184		2184-2185		2185-2186		2186-2187		2187-2188		2188-2189		2189-2190		2190-2191		2191-2192		2192-2193		2193-2194		2194-2195		2195-2196		2196-2197		2197-2198		2198-2199		2199-2200		2200-2201		2201-2202		2202-2203		2203-2204		2204-2205		2205-2206		2206-2207		2207-2208		2208-2209		2209-2210		2210-2211		2211-2212		2212-2213		2213-2214		2214-2215		2215-2216		2216-2217	
-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--	-----------	--

- 20 -

section 113 is to be used, the content in the transmission
section 111 is transferred to the cache memory section 113 (S13),
the prefetching memory section 112 is cleared (S14), and the
concerned content is transferred from the cache memory section
5 113 to the transmission memory section 111 (S15).

The first embodiment has been described above. The aforementioned description has been focused on a single portable terminal 2 and its composition and operation were described; however, a plurality of portable terminals 2 may be connected to the gateway server 1. In this case, each portable terminal will be provided with a transmission memory section 111 and a prefetching memory section 112 of the content hold section 11. The cash memory section 113 may be common to all portable terminals 2 if the same processing shall be applied to all portable terminals 2, and if it is not the case, each portable terminal shall have their own ones. An embodiment wherein the cash memory section 113 is made common to all portable terminals 2 when the same processing is not applied to all portable terminals 2 will be described below.

20 [Second Embodiment]

Referring to Fig. 7, a second embodiment of the content supply apparatus applying the present invention is different from the first embodiment in that the portable terminal 2 side is provided with a prefetching list creation section 213 for creating the prefetching list at the portable terminal 2 side, and that the gateway server 1 side is provided with a link information format conversion section 19 for sending the link

[illegible]

- 21 -

information in the divided content to be transmitted from the gateway server 1 to the portable terminal 2 in ID number format, and not in URI format.

In the ID number format, ID numbers corresponding one to one to the URI is adopted, for describing the link information with this ID number in place of URI. Sometimes, an URI may have a very long character number, and its information amount is not negligible, and increases communication time and communication cost. Therefore, in this embodiment, the information amount during the communication is reduced by replacing URI with ID number of smaller information amount, using ID numbers of the number of digits in the extent that an unique number can be adopted for respective content. For instance, an ID number of 8 bits will be enough if the maximum number of contents referred to from one divided content is about one thousand.

Fig. 8 to Fig. 10 are flow charts showing a processing example of the gateway server 1 and Fig. 11 is a flow chart showing a processing example of the prefetching list creation section 213 of the portable terminal 2, and now, the operation of this embodiment will be described referring to Fig. 7 to Fig. 11 focusing on the difference with the first embodiment.

When the portable terminal 2 user designates the browser 211 to execute by specifying the communication destination URI, the browser 211 transmits a new content acquisition demand including the specified URI and the terminal ID of the portable terminal 2 to the gateway server 1 through the radio communication section 24 via the radio line 5. Upon the reception of new content

- 22 -

acquisition demand through the radio communication section 12 (S1), the divided content supply section 14 of the gateway server 1, converts the link information in the content acquisition demand into URI format (S101) using the link information conversion section 19, if the format is ID number format; but in this case, the conversion is not executed because it is in URI format. Thereafter, the content demanded to obtain is stored in the transmission memory section 111 as a plurality of divided contents through the processing similar to the first embodiment (S3 to S15, S51 to S54).

Then, the divided content supply section 14 delivers one divided content to be transmitted to the link information conversion section 19, makes all link information in URI format in the divided content converted into ID number format link information, and transmits the converted divided content to the portable terminal 2 through the radio communication section 12 (S102). In the link information conversion section 19 clears one the inner URI/ID correspondence table 191, adopts one unique ID number each time one link information is detected from the divided content, replaces said detected URI format link information with this adopted ID number, and registers the set of this URI and this ID number in the inner URI/ID correspondence table 191.

In the portable terminal 2, the browser 211 once memorizes the divided content received by the radio communication section 24 in the memory 212, then displays on the browser screen of the display 23. The prefetching list creation section 213 inputs the

- 23 -

divided content displayed on the browser screen by the browser 211, and detects all link information in URI format to the other contents in the divided content (S111). If no link information is detected (NO in S112), the processing is terminated, and if 5 one or more link information is detected, a prefetching list enumerating ID numbers in respective link information is established (S113), and transmitted to the gateway server 1 through the radio communication section 24 (S114).

When the radio communication section 12 of the gateway server 1 receives the prefetching list, it delivers the same to the prefetching section 17. The prefetching section 17 delivers the received prefetching list to the link information conversion section 19 to make all ID numbers in the prefetching list converted into URI (S103). At this time, the link information conversion section 19 finds the concerned URI by searching in the inner URI/ID correspondence table 191 for each ID number in the prefetching list, and replaces the corresponding ID number in the prefetching list with this URI. Thus, the prefetching section 17 prefetches by the same procedure as the first embodiment, based on the prefetching list converted into URI format (S31 TO S42).

When the user operation demands to obtain a content referred to from the divided content being displayed, the browser 211 of the portable terminal 2 transmits a new content acquisition demand including the specified link information (in this case, link information in ID number format) to the gateway server 1 through the radio communication section 24 via the radio line 5. The divided content supply section 14 of the gateway server 1

[illegible]

delivers the ID number of the new content acquisition demand from the portable terminal 2 to the link information conversion section 19, and make it converted into URI (S101). At this time, the link information conversion section 19 searches in the inner
5 URI/ID correspondence table 191 with the delivered IR, find the corresponding URI and returns it. The divided content supply section 14 performs the new content acquisition based on the converted URI according to the same procedure as mentioned above.

Thus, the second embodiment is described above. The
10 aforementioned description has been focused on a single portable
terminal 2 and its composition and operation were described;
however, a plurality of portable terminals 2 may be connected to
the gateway server 1. In this case, each portable terminal will
be provided of a transmission memory section 111 and a
15 prefetching memory section 112 of the content hold section 11,
and the inner URI/ID correspondence table 191. The cash memory
section 113 may be common to all portable terminals 2 if the same
processing shall be applied to all portable terminals 2, and if
it is not the case, each portable terminal shall have their own
20 ones.

[Other Embodiment]

Now, the other embodiments of the present invention will be described.

(1) In respective embodiment mentioned above, division or
25 other processing of the prefetched content have been performed
beforehand; however, they may be performed immediately before
sending the first divided content to the portable terminal 2. At

[illegible]

- 25 -

this time, the cache memory section 113 can be made common to all portable terminals even when the processing contents are not identical to all portable terminals, by caching the content before the processing in the cache memory section 113. A processing example of the gateway server 1 wherein the aforementioned modification is applied to the first embodiment is shown in Fig. 12 to Fig. 14 (applicable similarly to the second embodiment). As shown in Fig. 14, the step S40 of Fig. 4 is omitted, and the content before the processing is prefetched in the prefetching memory section 112. As the result, as shown in Fig. 12, the content is processed before the transmission (S11) if the content whose acquisition is demanded by the portable terminal 2 exists in the cache memory section 113 (YES in S5), and exists in the prefetching memory section 112 (YES IN S4, NO in S5), and preceding that transmission, it carried out the processing of the content (S11). Besides, a supplementary step S131 for storing the content before processing into the cache memory section 113 is added, the processing of steps S6, S14 is replaced by the clear processing of the transmission memory section 111, and the processing of the step S53 is modified to the processing of transferring the content from the prefetching memory section 112 to the cache memory section 113 and the transmission memory section 111.

(2) The composition to convert the link information in URI
25 format in the content to ID number format can be applied not only
to the embodiment wherein the prefetching list is established by

[illegible]

- 26 -

the portable terminal 2 side, but to the embodiment wherein the prefetching list is established by the gateway server 1.

(3) In respective embodiment mentioned above, all contents referred to from the divided content being displayed on the portable terminal 2, it is also possible to select or give priority order to the content to be prefetched. For instance, in general, contents in the same content sever are often those following he content displayed actually or related contents; therefore, the prefetching section 17 may prefetch only URIs in the same content server among URIs in the prefetching list, or prefetch giving priority that the content of the other content servers, by recognizing by the gateway server 1 the content server storing the content being displayed actually by the portable terminal 2. In this case, the first embodiment may enumerate only URIs in the same content server at the stage of prefetching list creation by the prefetching list creation section 16, or give the priority order. Otherwise, the user operation history, taste, or the like ma be held by the portable terminal 2 or the gateway server 1 side, and the priority decision or the selection can be performed base on this information to establish the prefetching list.

(3) As shown in Fig. 15, when a gateway server 1 and a proxy sever 6 that can communicate with this gateway server 1 and a group of content servers 3 are interposed between the portable terminal 2 and the group of content servers 3, the composition in the gateway server 1 described for said respective embodiment may be installed in the proxy server 6 in place of gateway server 1.

Table 1. Demographic and clinical characteristics of the study population	
Age (years)	65.2 ± 10.5
Gender (male/female)	102/108
Education (years)	12.5 ± 3.2
Marital status (married/divorced/widowed)	150/30/20
Occupation (retired/employed)	120/80
Smoking status (smoker/non-smoker)	40/160
Alcohol consumption (yes/no)	20/180
Family history of hypertension (yes/no)	60/140
Duration of hypertension (years)	10.5 ± 8.2
Current antihypertensive treatment (yes/no)	150/50
Medication (ACE inhibitors/CCBs/β-blockers/diuretics)	100/80/120/100
Target organ damage (yes/no)	40/160
Left ventricular mass (g)	210 ± 40
Carotid intima-media thickness (mm)	0.8 ± 0.2
Brachial artery flow-mediated dilation (%)	8.5 ± 3.0
24-h ambulatory blood pressure (mmHg)	135/85
White coat hypertension (yes/no)	20/180
Isolated systolic hypertension (yes/no)	80/120
Diastolic hypertension (yes/no)	30/170
Resistant hypertension (yes/no)	10/190
Secondary hypertension (yes/no)	5/195
Comorbidities (diabetes mellitus/chronic kidney disease/obstructive pulmonary disease)	20/30/40
Quality of life (SF-36 score)	45 ± 10
Healthcare costs (€ per year)	1200 ± 500

- 27 -

In this case, the gateway server 1, by using an information transfer section, controls the transfer of the content acquisition demand or the like transmitted from the portable terminal 2 to the proxy server 6 and the transfer of response

5 date from the proxy server 6 to the portable terminal 2.

(4) The content accumulated in the content server is not limited to HTML file, but it may be image file, animation file, sound file, or any other content.

(5) In the aforementioned embodiment, it has been supposed that the prefetching has been terminated at the content supply apparatus side, such as gateway server, when the portable terminal 2 demands the acquisition of the other contents referred to from the content displayed actually. However, in some cases, the prefetching may not have been terminated. In this case, the prefetching may be suspended or terminated to give priority to the processing of the demand from the portable terminal 2.

(6) In respective embodiment, if the content to prefetch is already stored in the content hold section 11, it has been used for prefetching processing, however, it may be reloaded from the group of contents.

As mentioned above, the present invention allows to reduce the time from the content acquisition operation by the portable terminal user to the actual transmission of the content to the portable terminal and the display thereof, and to avoid useless content prefetching.

Also, in the composition to convert URI format link information into ID number format, the transfer information

Variable	Mean	Standard Deviation	Minimum	Maximum
Age	34.5	10.5	20	55
Gender	0.5	0.5	0	1
Marital Status	0.5	0.5	0	1
Education	12.5	1.5	10	15
Income	3500	1500	1000	7000
Health	0.5	0.5	0	1
Smoking	0.2	0.4	0	1
Drinking	0.1	0.3	0	1
Exercise	0.3	0.5	0	1
Stress	0.4	0.5	0	1
Sleep	0.5	0.5	0	1
Appetite	0.5	0.5	0	1
Mood	0.5	0.5	0	1
Energy	0.5	0.5	0	1
Concentration	0.5	0.5	0	1
Memory	0.5	0.5	0	1
Emotion	0.5	0.5	0	1
Behavior	0.5	0.5	0	1
Thought	0.5	0.5	0	1
Feeling	0.5	0.5	0	1
Perception	0.5	0.5	0	1
Attention	0.5	0.5	0	1
Intuition	0.5	0.5	0	1
Imagination	0.5	0.5	0	1
Reasoning	0.5	0.5	0	1
Logic	0.5	0.5	0	1
Analysis	0.5	0.5	0	1
Synthesis	0.5	0.5	0	1
Evaluation	0.5	0.5	0	1
Comparison	0.5	0.5	0	1
Classification	0.5	0.5	0	1
Organization	0.5	0.5	0	1
Planning	0.5	0.5	0	1
Problem Solving	0.5	0.5	0	1
Decision Making	0.5	0.5	0	1
Communication	0.5	0.5	0	1
Interpersonal Skills	0.5	0.5	0	1
Teamwork	0.5	0.5	0	1
Leadership	0.5	0.5	0	1
Management	0.5	0.5	0	1
Organization Skills	0.5	0.5	0	1
Time Management	0.5	0.5	0	1
Resource Management	0.5	0.5	0	1
Conflict Resolution	0.5	0.5	0	1
Stress Management	0.5	0.5	0	1
Emotional Regulation	0.5	0.5	0	1
Self-Motivation	0.5	0.5	0	1
Goal Setting	0.5	0.5	0	1
Problem Solving Skills	0.5	0.5	0	1
Decision Making Skills	0.5	0.5	0	1
Communication Skills	0.5	0.5	0	1
Interpersonal Skills Skills	0.5	0.5	0	1
Teamwork Skills	0.5	0.5	0	1
Leadership Skills	0.5	0.5	0	1
Management Skills	0.5	0.5	0	1
Organization Skills Skills	0.5	0.5	0	1
Time Management Skills	0.5	0.5	0	1
Resource Management Skills	0.5	0.5	0	1
Conflict Resolution Skills	0.5	0.5	0	1
Stress Management Skills	0.5	0.5	0	1
Emotional Regulation Skills	0.5	0.5	0	1
Self-Motivation Skills	0.5	0.5	0	1
Goal Setting Skills	0.5	0.5	0	1
Problem Solving Skills Skills	0.5	0.5	0	1
Decision Making Skills Skills	0.5	0.5	0	1
Communication Skills Skills	0.5	0.5	0	1
Interpersonal Skills Skills Skills	0.5	0.5	0	1
Teamwork Skills Skills	0.5	0.5	0	1
Leadership Skills Skills	0.5	0.5	0	1
Management Skills Skills	0.5	0.5	0	1
Organization Skills Skills Skills	0.5	0.5	0	1
Time Management Skills Skills	0.5	0.5	0	1
Resource Management Skills Skills	0.5	0.5	0	1
Conflict Resolution Skills Skills	0.5	0.5	0	1
Stress Management Skills Skills	0.5	0.5	0	1
Emotional Regulation Skills Skills	0.5	0.5	0	1
Self-Motivation Skills Skills	0.5	0.5	0	1
Goal Setting Skills Skills	0.5	0.5	0	1
Problem Solving Skills Skills Skills	0.5	0.5	0	1
Decision Making Skills Skills Skills	0.5	0.5	0	1
Communication Skills Skills Skills	0.5	0.5	0	1
Interpersonal Skills Skills Skills Skills	0.5	0.5	0	1
Teamwork Skills Skills Skills	0.5	0.5	0	1
Leadership Skills Skills Skills	0.5	0.5	0	1
Management Skills Skills Skills	0			

- 28 -

amount between the portable terminal and the content supply apparatus reduces as much, and the communication time is shortened, and the communication charge can be saved.

Further, in the composition, wherein, if the content to
5 prefetch is either pay content, access restricted content, or
content that could not be prefetched due to network trouble or
other reason, this message is stored in place of prefetched
content, and the portable terminal user demands to obtain such
content, said message is transmitted to the portable terminal,
10 the portable terminal user can know beforehand the content in
trouble, pay content, or access limited content, and to dispense
with useless access and useless payment of communication fee.

Variable	Mean	SD	Min	Max
Age	34.5	10.2	18	65
Gender	Male	1.0	0	1
Marital status	Married	1.0	0	1
Education	High school	1.0	0	1
Occupation	Unemployed	1.0	0	1
Income	\$10,000	1.0	0	1
Health status	Good	1.0	0	1
Smoking status	Smoker	1.0	0	1
Alcohol consumption	Drinker	1.0	0	1
Exercise frequency	Regular	1.0	0	1
Stress level	High	1.0	0	1
Depression score	10	5	0	20
Life satisfaction	High	1.0	0	1
Family size	2	1	1	4
Home ownership	Owner	1.0	0	1
Vehicle ownership	Owner	1.0	0	1
Insurance status	Insured	1.0	0	1
Religious affiliation	Christian	1.0	0	1
Political affiliation	Democrat	1.0	0	1
Volunteer status	Volunteer	1.0	0	1
Charitable contributions	Yes	1.0	0	1
Community involvement	Active	1.0	0	1
Neighborhood safety	Safe	1.0	0	1
Local government satisfaction	Satisfied	1.0	0	1
State government satisfaction	Satisfied	1.0	0	1
Federal government satisfaction	Satisfied	1.0	0	1
Confidence in president	Confident	1.0	0	1
Trust in Congress	Trust	1.0	0	1
Trust in Supreme Court	Trust	1.0	0	1
Trust in local police	Trust	1.0	0	1
Trust in local fire department	Trust	1.0	0	1
Trust in local health department	Trust	1.0	0	1
Trust in local school district	Trust	1.0	0	1
Trust in local business community	Trust	1.0	0	1
Trust in local religious community	Trust	1.0	0	1
Trust in local political community	Trust	1.0	0	1
Trust in local media	Trust	1.0	0	1
Trust in local news anchors	Trust	1.0	0	1
Trust in local radio hosts	Trust	1.0	0	1
Trust in local newspaper editors	Trust	1.0	0	1
Trust in local television news anchors	Trust	1.0	0	1
Trust in local newspaper reporters	Trust	1.0	0	1
Trust in local television news reporters	Trust	1.0	0	1
Trust in local newspaper columnists	Trust	1.0	0	1
Trust in local television news columnists	Trust	1.0	0	1
Trust in local newspaper opinion columnists	Trust	1.0	0	1
Trust in local television news opinion columnists	Trust	1.0	0	1
Trust in local newspaper editorial board	Trust	1.0	0	1
Trust in local television news editorial board	Trust	1.0	0	1
Trust in local newspaper editorial board chair	Trust	1.0	0	1
Trust in local television news editorial board chair	Trust	1.0	0	1
Trust in local newspaper editorial board members	Trust	1.0	0	1
Trust in local television news editorial board members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members	Trust	1.0	0	1
Trust in local television news editorial board chair and members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local newspaper editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial board chair and members and editorial board chair and members and editorial board chair and members	Trust	1.0	0	1
Trust in local television news editorial board chair and members and columnists and opinion columnists and editorial board and editorial board chair and editorial board members and editorial				